MADE IN TURKEY

ULUS

Cold Storage Builder

AGROCOLD is a registered brand of Ulus Sogutma A.S.

We

Design
Manufacture
Install
Cold Storage

www.ulussogutma.com

ULUS Cold Storage Builder

Index

- Insulated Cold Room Panels
- Structural Insulated Cold Room Panels (SIP) **NEW**
- Insulated Cold Room Doors
- Cold Room Cooling Units
- Other Cold Room Essentials
- Design - Installation - Service
- Projects & Applications
- AgroCold - New Way of Building Cold Rooms **NEW**





Save Time and Money

Using our insulated panels that are specifically designed for Cold Store building applications.

Get great insulation to save energy and money.

- Easy To Install
- Faster Installation
- Airtight
- Hygenic
- Meet EU Standards
- Fire Resistant (B1)
- Colour Choices

Insulated Wall Panel

- Thickness options (cm.): 6-8-10-12-15-18
- Max. Length: 12 m.
- Core: 42 kg./m^3 Polyurethane
- Surface Thicknes (mm.): 0,50/0,50
- Fire Resistance: B1 - B2
- Protection Film: YES
- Surface Options:
  - Polyester Coated Galvanized Steel
  - Stainless Steel
  - PVC Coated Galvanized

Insulated Ceiling Panel

- Thickness options (cm.): 6-8-10-12-15-18
- Max. Length: 12 m.
- Core: 42 kg./m^3 Polyurethane
- Surface Thicknes (mm.): 0,50/0,50
- Fire Resistance: B1 - B2
- Protection Film: YES
- Surface Options:
  - Polyester Coated Galvanized Steel
  - Stainless Steel
  - PVC Coated Galvanized

NEW PRODUCTS

Meet Our New Innovative Products Line

It's patented design opens up new opportunities for anyone who wants to have Cold Stores for

Faster
Easier
Cost Effective

Structural Corner Wall Panel

Structural T Shaped Wall Panel



Structural Roof Panel



Structural Round Roof Panel

New Way of Building Cold Rooms

Pay %90 Less for Cold Storage Construction

Spend 2X Less Time For Installation

INSULATED COLD ROOM DOORS

Sliding Cold Room Door

- Suitable for temperatures between: -40°C and +80°C
- Max. net opening (cm.): 350 width X 450 lenght
- Core Insulation: Polyurethane
- Finishing: Polyester painted - PVC - Stainless
- Blade Thicknes (cm.): 8 or 12
- Automation: Optional

Hinged Cold Room Door

- Suitable for temperatures between: -40°C and +80°C
- Max. net opening (cm.): 140 width X 450 lenght
- Core Insulation: Polyurethane
- Finishing: Polyester painted - PVC - Stainless
- Blade Thicknes (cm.): 8 or 12
- Automation: Optional

Cooling

Split or Central Systems

- Temperature Range: -40°C and +18°C
- IP55 Integrated Electrical Panel
- Advanced System Control
- Compact Ergonomic Design
- Quality Equipment
- Compatible condensers for hot environment
- High Security Equipment
- Extra Vibration Precautions
- Electrical Panels Compatible to the standards
- Durable cabinet for outdoors

Units

Evaporators

Specially designed for medium and large industrial cold room and frozen storage room applications

- Wide Capacity Range
- Suitable Fin Spacing for all application
- Aluminium fins,
- Easy Maintenance with Hinged/Folding drain tray
- Robust and all-round powder coated galvanized steel casing parts,
- Stainless Casing Optional
- High Efficiency Axial Fan
- E1 type (Light duty) defrost system , E2 type (Heavy duty) defrost system
- Drain line heaters,

Humidifier

Air Handling

Flashings



Panel Protector



PVC Curtains

2D Modelling



3D Modelling



Thermal Control

Remote Control



Chicken Slaughter House - Denizli/TURKEY

Pomogranate Processing Plant - İzmir/TURKEY

Citrus Storage - Muğla/TURKEY

Dairy Processing - Muğla/TURKEY

Fish Processing - İzmir/TURKEY

Bakery Plant - İzmir/TURKEY

Cattle Slaughter House - Nairobi/KENYA



Frozen Chicken Storage - Mistrata/LIBYA

Cold Storage For Grocery - Nuremberg/GERMANY

Ice Cream Storage - Lefkosa/CYPRUS

Fresh Green Grass Plant - Doha/QATAR

Cold Storage For Grocery - Manchester/UK



Ice Cream Plant - Istanbul/TURKEY

Dried Tomatoes - Afyon/Turkey

NEW PRODUCT

AGROCOLD

New Way of Building Cold Rooms

New Way of Building Cold Rooms New Way of Building Cold Rooms New Way of

ilding Cold Rooms New Way of Building Cold Rooms New Way of Building Cold

New Way of Building Cold Rooms New Way of Building Cold Rooms New Wa

Project Steps

1

2

Project Steps

3

4

ULUS
Cold Storage Builder

ITOB Org. San. Bol. 10019 Sk. No:4
Tekeli Menderes Izmir/Türkiye
T. +90 232 245 50 26
F. +90 232 245 21 56
M.+90 532 111 85 87
info@ulussogutma.com

www.ulussogutma.com

facebook.com/ulussogutma

+90 532 589 2951 - +90 533 308 0630